



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

LiPigments
Englewood, NJ 07631
USA

LiPigments.com

CTL [®] no	385661+391781
---------------------	---------------

[Test date] 03.12.2018

[Service date] 09.03.2020

tattooLAB.eu

Certificate

[Article] Permanent Make-up colour


[Brand] The Ombre Blush Brow

[Colour/product code] Cool Blonde Blush / DC-201-3

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a Testing of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	Biphenyl-4-ylamine	202-177-1	92-67-1	---	3,3'-Dimethoxybenzidine	204-355-4	119-90-4
---	Benzidine	202-199-1	92-87-5	---	3,3'-Dimethylbenzidine	204-358-0	119-93-7
---	4-Chloro-o-toluidine	202-411-6	95-69-2	---	4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
---	2-Naphthylamine	202-080-4	91-59-8	---	6-Methoxy-m-toluidine	204-419-1	120-71-8
---	o-Aminoazotoluene	202-591-2	97-56-3	---	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
---	5-Nitro-o-toluidine	202-765-8	99-55-8	---	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
---	4-Chloroaniline	203-401-0	106-47-8	---	o-Anisidine	201-963-1	90-04-0
---	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	---	4-Aminoazobenzene	200-453-6	60-09-3
---	4,4'-Methylenedianiline	202-974-4	101-77-9	---	6-Amino-2-ethoxynaphthaline	---	293733-21-8
---	3,3'-Dichlorobenzidine	202-109-0	91-94-1	---	4-Amino-3-fluorophenol	418-230-9	399-95-1
Part 1b Testing of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	4,4'-Oxydianiline	202-977-0	101-80-4	---	Para-phenylenediamine	2003-404-7	106-50-3
---	4,4'-Thiodianiline	205-370-9	139-65-1	---	2,4 Xylidine	---	95-68-1
---	o-Toluidine	202-429-0	95-53-4	---	2,6 Xylidine	---	87-62-7
---	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 09. MARCH 2020


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years (from the oldest test date)

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattooLAB.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED1 GTL
[IBAN] DE 87 47850065 000 4005345



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

LiPigments
Englewood, NJ 07631
USA

LiPigments.com

CTL [®] no	385661+391781
---------------------	----------------------

[Test date] 03.12.2018

[Service date] 09.03.2020

tattooLAB.eu

Certificate

[Article] Permanent Make-up colour


[Brand] The Ombre Blush Brow

[Colour/product code] Cool Blonde Bold / DC-201-4

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	Biphenyl-4-ylamine	202-177-1	92-67-1	---	3,3'-Dimethoxybenzidine	204-355-4	119-90-4
---	Benzidine	202-199-1	92-87-5	---	3,3'-Dimethylbenzidine	204-358-0	119-93-7
---	4-Chloro-o-toluidine	202-411-6	95-69-2	---	4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
---	2-Naphthylamine	202-080-4	91-59-8	---	6-Methoxy-m-toluidine	204-419-1	120-71-8
---	o-Aminoazotoluene	202-591-2	97-56-3	---	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
---	5-Nitro-o-toluidine	202-765-8	99-55-8	---	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
---	4-Chloroaniline	203-401-0	106-47-8	---	o-Anisidine	201-963-1	90-04-0
---	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	---	4-Aminoazobenzene	200-453-6	60-09-3
---	4,4'-Methylenedianiline	202-974-4	101-77-9	---	6-Amino-2-ethoxynaphthaline	---	293733-21-8
---	3,3'-Dichlorobenzidine	202-109-0	91-94-1	---	4-Amino-3-fluorophenol	418-230-9	399-95-1
Part 1b				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	4,4'-Oxydianiline	202-977-0	101-80-4	---	Para-phenylenediamine	2003-404-7	106-50-3
---	4,4'-Thiodianiline	205-370-9	139-65-1	---	2,4 Xylidine	---	95-68-1
---	o-Toluidine	202-429-0	95-53-4	---	2,6 Xylidine	---	87-62-7
---	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 09. MARCH 2020


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years (from the oldest test date)

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattooLAB.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

LiPigments
Englewood, NJ 07631
USA

LiPigments.com

CTL [®] no	385661+391781
---------------------	---------------

[Test date] 03.12.2018

[Service date] 09.03.2020

tattooLAB.eu

Certificate

[Article] Permanent Make-up colour


[Brand] The Ombre Blush Brow

[Colour/product code] Warm Blonde Blush / DC-201-5

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	Biphenyl-4-ylamine	202-177-1	92-67-1	---	3,3'-Dimethoxybenzidine	204-355-4	119-90-4
---	Benzidine	202-199-1	92-87-5	---	3,3'-Dimethylbenzidine	204-358-0	119-93-7
---	4-Chloro-o-toluidine	202-411-6	95-69-2	---	4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
---	2-Naphthylamine	202-080-4	91-59-8	---	6-Methoxy-m-toluidine	204-419-1	120-71-8
---	o-Aminoazotoluene	202-591-2	97-56-3	---	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
---	5-Nitro-o-toluidine	202-765-8	99-55-8	---	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
---	4-Chloroaniline	203-401-0	106-47-8	---	o-Anisidine	201-963-1	90-04-0
---	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	---	4-Aminoazobenzene	200-453-6	60-09-3
---	4,4'-Methylenedianiline	202-974-4	101-77-9	---	6-Amino-2-ethoxynaphthaline	---	293733-21-8
---	3,3'-Dichlorobenzidine	202-109-0	91-94-1	---	4-Amino-3-fluorophenol	418-230-9	399-95-1
Part 1b				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	4,4'-Oxydianiline	202-977-0	101-80-4	---	Para-phenylenediamine	2003-404-7	106-50-3
---	4,4'-Thiodianiline	205-370-9	139-65-1	---	2,4 Xylidine	---	95-68-1
---	o-Toluidine	202-429-0	95-53-4	---	2,6 Xylidine	---	87-62-7
---	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 09. MARCH 2020


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years (from the oldest test date)

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattooLAB.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

LiPigments
Englewood, NJ 07631
USA

LiPigments.com

CTL [®] no	385661+391781
---------------------	---------------

[Test date] 03.12.2018

[Service date] 09.03.2020

tattooLAB.eu

Certificate

[Article] Permanent Make-up colour


[Brand] The Ombre Blush Brow

[Colour/product code] Warm Blonde Bold / DC-201-6

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	Biphenyl-4-ylamine	202-177-1	92-67-1	---	3,3'-Dimethoxybenzidine	204-355-4	119-90-4
---	Benzidine	202-199-1	92-87-5	---	3,3'-Dimethylbenzidine	204-358-0	119-93-7
---	4-Chloro-o-toluidine	202-411-6	95-69-2	---	4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
---	2-Naphthylamine	202-080-4	91-59-8	---	6-Methoxy-m-toluidine	204-419-1	120-71-8
---	o-Aminoazotoluene	202-591-2	97-56-3	---	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
---	5-Nitro-o-toluidine	202-765-8	99-55-8	---	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
---	4-Chloroaniline	203-401-0	106-47-8	---	o-Anisidine	201-963-1	90-04-0
---	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	---	4-Aminoazobenzene	200-453-6	60-09-3
---	4,4'-Methylenedianiline	202-974-4	101-77-9	---	6-Amino-2-ethoxynaphthaline	---	293733-21-8
---	3,3'-Dichlorobenzidine	202-109-0	91-94-1	---	4-Amino-3-fluorophenol	418-230-9	399-95-1
Part 1b				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	4,4'-Oxydianiline	202-977-0	101-80-4	---	Para-phenylenediamine	2003-404-7	106-50-3
---	4,4'-Thiodianiline	205-370-9	139-65-1	---	2,4 Xylidine	---	95-68-1
---	o-Toluidine	202-429-0	95-53-4	---	2,6 Xylidine	---	87-62-7
---	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 09. MARCH 2020


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years (from the oldest test date)

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattooLAB.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED1 GTL
[IBAN] DE 87 47850065 000 4005345



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

LiPigments
Englewood, NJ 07631
USA

LiPigments.com

CTL[®] no **385661+391781**

[Test date] 03.12.2018

[Service date] 09.03.2020

tattoo^{lab}.eu

Certificate

[Article] Permanent Make-up colour


[Brand] The Ombre Blush Brow

[Colour/product code] Neutral Mid Brown Blush / DC-201-7

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a Testing of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	Biphenyl-4-ylamine	202-177-1	92-67-1	---	3,3'-Dimethoxybenzidine	204-355-4	119-90-4
---	Benzidine	202-199-1	92-87-5	---	3,3'-Dimethylbenzidine	204-358-0	119-93-7
---	4-Chloro-o-toluidine	202-411-6	95-69-2	---	4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
---	2-Naphthylamine	202-080-4	91-59-8	---	6-Methoxy-m-toluidine	204-419-1	120-71-8
---	o-Aminoazotoluene	202-591-2	97-56-3	---	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
---	5-Nitro-o-toluidine	202-765-8	99-55-8	---	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
---	4-Chloroaniline	203-401-0	106-47-8	---	o-Anisidine	201-963-1	90-04-0
---	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	---	4-Aminoazobenzene	200-453-6	60-09-3
---	4,4'-Methylenedianiline	202-974-4	101-77-9	---	6-Amino-2-ethoxynaphthaline	---	293733-21-8
---	3,3'-Dichlorobenzidine	202-109-0	91-94-1	---	4-Amino-3-fluorophenol	418-230-9	399-95-1
Part 1b Testing of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	4,4'-Oxydianiline	202-977-0	101-80-4	---	Para-phenylenediamine	2003-404-7	106-50-3
---	4,4'-Thiodianiline	205-370-9	139-65-1	---	2,4 Xylidine	---	95-68-1
---	o-Toluidine	202-429-0	95-53-4	---	2,6 Xylidine	---	87-62-7
---	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 09. MARCH 2020


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years (from the oldest test date)

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoo^{lab}.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

LiPigments
Englewood, NJ 07631
USA

LiPigments.com

CTL [®] no	385661+391781
---------------------	---------------

[Test date] 03.12.2018

[Service date] 09.03.2020

tattooLAB.eu

Certificate

[Article] Permanent Make-up colour


[Brand] The Ombre Blush Brow

[Colour/product code] Neutral Mid Brown Bold / DC-201-8

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	Biphenyl-4-ylamine	202-177-1	92-67-1	---	3,3'-Dimethoxybenzidine	204-355-4	119-90-4
---	Benzidine	202-199-1	92-87-5	---	3,3'-Dimethylbenzidine	204-358-0	119-93-7
---	4-Chloro-o-toluidine	202-411-6	95-69-2	---	4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
---	2-Naphthylamine	202-080-4	91-59-8	---	6-Methoxy-m-toluidine	204-419-1	120-71-8
---	o-Aminoazotoluene	202-591-2	97-56-3	---	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
---	5-Nitro-o-toluidine	202-765-8	99-55-8	---	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
---	4-Chloroaniline	203-401-0	106-47-8	---	o-Anisidine	201-963-1	90-04-0
---	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	---	4-Aminoazobenzene	200-453-6	60-09-3
---	4,4'-Methylenedianiline	202-974-4	101-77-9	---	6-Amino-2-ethoxynaphthaline	---	293733-21-8
---	3,3'-Dichlorobenzidine	202-109-0	91-94-1	---	4-Amino-3-fluorophenol	418-230-9	399-95-1
Part 1b				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	4,4'-Oxydianiline	202-977-0	101-80-4	---	Para-phenylenediamine	2003-404-7	106-50-3
---	4,4'-Thiodianiline	205-370-9	139-65-1	---	2,4 Xylidine	---	95-68-1
---	o-Toluidine	202-429-0	95-53-4	---	2,6 Xylidine	---	87-62-7
---	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 09. MARCH 2020


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years (from the oldest test date)

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattooLAB.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED1 GTL
[IBAN] DE 87 47850065 000 4005345



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

LiPigments
Englewood, NJ 07631
USA

LiPigments.com

CTL [®] no	385661+391781
---------------------	---------------

[Test date] 03.12.2018

[Service date] 09.03.2020

tattooLAB.eu

Certificate

[Article] Permanent Make-up colour


[Brand] The Ombre Blush Brow

[Colour/product code] Warm Mid Brown Blush / DC-201-9

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a Testing of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	Biphenyl-4-ylamine	202-177-1	92-67-1	---	3,3'-Dimethoxybenzidine	204-355-4	119-90-4
---	Benzidine	202-199-1	92-87-5	---	3,3'-Dimethylbenzidine	204-358-0	119-93-7
---	4-Chloro-o-toluidine	202-411-6	95-69-2	---	4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
---	2-Naphthylamine	202-080-4	91-59-8	---	6-Methoxy-m-toluidine	204-419-1	120-71-8
---	o-Aminoazotoluene	202-591-2	97-56-3	---	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
---	5-Nitro-o-toluidine	202-765-8	99-55-8	---	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
---	4-Chloroaniline	203-401-0	106-47-8	---	o-Anisidine	201-963-1	90-04-0
---	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	---	4-Aminoazobenzene	200-453-6	60-09-3
---	4,4'-Methylenedianiline	202-974-4	101-77-9	---	6-Amino-2-ethoxynaphthaline	---	293733-21-8
---	3,3'-Dichlorobenzidine	202-109-0	91-94-1	---	4-Amino-3-fluorophenol	418-230-9	399-95-1
Part 1b Testing of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	4,4'-Oxydianiline	202-977-0	101-80-4	---	Para-phenylenediamine	2003-404-7	106-50-3
---	4,4'-Thiodianiline	205-370-9	139-65-1	---	2,4 Xylidine	---	95-68-1
---	o-Toluidine	202-429-0	95-53-4	---	2,6 Xylidine	---	87-62-7
---	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 09. MARCH 2020


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years (from the oldest test date)

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattooLAB.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

LiPigments
Englewood, NJ 07631
USA

LiPigments.com

CTL [®] no	385661+391781
---------------------	---------------

[Test date] 03.12.2018

[Service date] 09.03.2020

tattooLAB.eu

Certificate

[Article] Permanent Make-up colour


[Brand] The Ombre Blush Brow

[Colour/product code] Warm Mid Brown Bold / DC-201-10

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	Biphenyl-4-ylamine	202-177-1	92-67-1	---	3,3'-Dimethoxybenzidine	204-355-4	119-90-4
---	Benzidine	202-199-1	92-87-5	---	3,3'-Dimethylbenzidine	204-358-0	119-93-7
---	4-Chloro-o-toluidine	202-411-6	95-69-2	---	4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
---	2-Naphthylamine	202-080-4	91-59-8	---	6-Methoxy-m-toluidine	204-419-1	120-71-8
---	o-Aminoazotoluene	202-591-2	97-56-3	---	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
---	5-Nitro-o-toluidine	202-765-8	99-55-8	---	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
---	4-Chloroaniline	203-401-0	106-47-8	---	o-Anisidine	201-963-1	90-04-0
---	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	---	4-Aminoazobenzene	200-453-6	60-09-3
---	4,4'-Methylenedianiline	202-974-4	101-77-9	---	6-Amino-2-ethoxynaphthaline	---	293733-21-8
---	3,3'-Dichlorobenzidine	202-109-0	91-94-1	---	4-Amino-3-fluorophenol	418-230-9	399-95-1
Part 1b				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	4,4'-Oxydianiline	202-977-0	101-80-4	---	Para-phenylenediamine	2003-404-7	106-50-3
---	4,4'-Thiodianiline	205-370-9	139-65-1	---	2,4 Xylidine	---	95-68-1
---	o-Toluidine	202-429-0	95-53-4	---	2,6 Xylidine	---	87-62-7
---	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 09. MARCH 2020


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years (from the oldest test date)

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattooLAB.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED1 GTL
[IBAN] DE 87 47850065 000 4005345



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

LiPigments
Englewood, NJ 07631
USA

LiPigments.com

CTL[®] no **385661+391781**

[Test date] 03.12.2018

[Service date] 09.03.2020


tattoo^{lab}.eu

Certificate

[Article] Permanent Make-up colour
[Brand] The Ombre Blush Brow
[Colour/product code] Mid Dark Brown Blush / DC-201-11
[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	Biphenyl-4-ylamine	202-177-1	92-67-1	---	3,3'-Dimethoxybenzidine	204-355-4	119-90-4
---	Benzidine	202-199-1	92-87-5	---	3,3'-Dimethylbenzidine	204-358-0	119-93-7
---	4-Chloro-o-toluidine	202-411-6	95-69-2	---	4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
---	2-Naphthylamine	202-080-4	91-59-8	---	6-Methoxy-m-toluidine	204-419-1	120-71-8
---	o-Aminoazotoluene	202-591-2	97-56-3	---	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
---	5-Nitro-o-toluidine	202-765-8	99-55-8	---	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
---	4-Chloroaniline	203-401-0	106-47-8	---	o-Anisidine	201-963-1	90-04-0
---	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	---	4-Aminoazobenzene	200-453-6	60-09-3
---	4,4'-Methylenedianiline	202-974-4	101-77-9	---	6-Amino-2-ethoxynaphthaline	---	293733-21-8
---	3,3'-Dichlorobenzidine	202-109-0	91-94-1	---	4-Amino-3-fluorophenol	418-230-9	399-95-1
Part 1b				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	4,4'-Oxydianiline	202-977-0	101-80-4	---	Para-phenylenediamine	2003-404-7	106-50-3
---	4,4'-Thiodianiline	205-370-9	139-65-1	---	2,4 Xylidine	---	95-68-1
---	o-Toluidine	202-429-0	95-53-4	---	2,6 Xylidine	---	87-62-7
---	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 09. MARCH 2020


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years (from the oldest test date)

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoo^{lab}.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

LiPigments
Englewood, NJ 07631
USA

LiPigments.com

CTL[®] no **385661+391781**

[Test date] 03.12.2018

[Service date] 09.03.2020

tattoo^{lab}.eu

Certificate

[Article] Permanent Make-up colour


[Brand] The Ombre Blush Brow

[Colour/product code] Mid Dark Brown Bold / DC-201-12

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	Biphenyl-4-ylamine	202-177-1	92-67-1	---	3,3'-Dimethoxybenzidine	204-355-4	119-90-4
---	Benzidine	202-199-1	92-87-5	---	3,3'-Dimethylbenzidine	204-358-0	119-93-7
---	4-Chloro-o-toluidine	202-411-6	95-69-2	---	4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
---	2-Naphthylamine	202-080-4	91-59-8	---	6-Methoxy-m-toluidine	204-419-1	120-71-8
---	o-Aminoazotoluene	202-591-2	97-56-3	---	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
---	5-Nitro-o-toluidine	202-765-8	99-55-8	---	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
---	4-Chloroaniline	203-401-0	106-47-8	---	o-Anisidine	201-963-1	90-04-0
---	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	---	4-Aminoazobenzene	200-453-6	60-09-3
---	4,4'-Methylenedianiline	202-974-4	101-77-9	---	6-Amino-2-ethoxynaphthaline	---	293733-21-8
---	3,3'-Dichlorobenzidine	202-109-0	91-94-1	---	4-Amino-3-fluorophenol	418-230-9	399-95-1
Part 1b				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	4,4'-Oxydianiline	202-977-0	101-80-4	---	Para-phenylenediamine	2003-404-7	106-50-3
---	4,4'-Thiodianiline	205-370-9	139-65-1	---	2,4 Xylidine	---	95-68-1
---	o-Toluidine	202-429-0	95-53-4	---	2,6 Xylidine	---	87-62-7
---	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 09. MARCH 2020


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years (from the oldest test date)

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoo^{lab}.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED1 GTL
[IBAN] DE 87 47850065 000 4005345



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

LiPigments
Englewood, NJ 07631
USA

LiPigments.com

CTL[®] no **385661+391781**

[Test date] 03.12.2018

[Service date] 09.03.2020

tattoo^{lab}.eu

Certificate

[Article] Permanent Make-up colour


[Brand] The Ombre Blush Brow

[Colour/product code] Darkest Brown Blush / DC-201-13

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a Testing of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	Biphenyl-4-ylamine	202-177-1	92-67-1	---	3,3'-Dimethoxybenzidine	204-355-4	119-90-4
---	Benzidine	202-199-1	92-87-5	---	3,3'-Dimethylbenzidine	204-358-0	119-93-7
---	4-Chloro-o-toluidine	202-411-6	95-69-2	---	4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
---	2-Naphthylamine	202-080-4	91-59-8	---	6-Methoxy-m-toluidine	204-419-1	120-71-8
---	o-Aminoazotoluene	202-591-2	97-56-3	---	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
---	5-Nitro-o-toluidine	202-765-8	99-55-8	---	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
---	4-Chloroaniline	203-401-0	106-47-8	---	o-Anisidine	201-963-1	90-04-0
---	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	---	4-Aminoazobenzene	200-453-6	60-09-3
---	4,4'-Methylenedianiline	202-974-4	101-77-9	---	6-Amino-2-ethoxynaphthaline	---	293733-21-8
---	3,3'-Dichlorobenzidine	202-109-0	91-94-1	---	4-Amino-3-fluorophenol	418-230-9	399-95-1
Part 1b Testing of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	4,4'-Oxydianiline	202-977-0	101-80-4	---	Para-phenylenediamine	2003-404-7	106-50-3
---	4,4'-Thiodianiline	205-370-9	139-65-1	---	2,4 Xylidine	---	95-68-1
---	o-Toluidine	202-429-0	95-53-4	---	2,6 Xylidine	---	87-62-7
---	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 09. MARCH 2020


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years (from the oldest test date)

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoo^{lab}.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

LiPigments
Englewood, NJ 07631
USA

LiPigments.com

CTL [®] no	385661+391781
---------------------	---------------

[Test date] 03.12.2018

[Service date] 09.03.2020

tattooLAB.eu

Certificate

[Article] Permanent Make-up colour


[Brand] The Ombre Blush Brow

[Colour/product code] Darlest Brown Bold / DC-201-14

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	Biphenyl-4-ylamine	202-177-1	92-67-1	---	3,3'-Dimethoxybenzidine	204-355-4	119-90-4
---	Benzidine	202-199-1	92-87-5	---	3,3'-Dimethylbenzidine	204-358-0	119-93-7
---	4-Chloro-o-toluidine	202-411-6	95-69-2	---	4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
---	2-Naphthylamine	202-080-4	91-59-8	---	6-Methoxy-m-toluidine	204-419-1	120-71-8
---	o-Aminoazotoluene	202-591-2	97-56-3	---	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
---	5-Nitro-o-toluidine	202-765-8	99-55-8	---	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
---	4-Chloroaniline	203-401-0	106-47-8	---	o-Anisidine	201-963-1	90-04-0
---	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	---	4-Aminoazobenzene	200-453-6	60-09-3
---	4,4'-Methylenedianiline	202-974-4	101-77-9	---	6-Amino-2-ethoxynaphthaline	---	293733-21-8
---	3,3'-Dichlorobenzidine	202-109-0	91-94-1	---	4-Amino-3-fluorophenol	418-230-9	399-95-1
Part 1b				DIN EN 14362, § 64 LFGB 82.02-2,3,4,9			
Testing of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm				GC/MS analysis HPLC analysis			
Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
---	4,4'-Oxydianiline	202-977-0	101-80-4	---	Para-phenylenediamine	2003-404-7	106-50-3
---	4,4'-Thiodianiline	205-370-9	139-65-1	---	2,4 Xylidine	---	95-68-1
---	o-Toluidine	202-429-0	95-53-4	---	2,6 Xylidine	---	87-62-7
---	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 09. MARCH 2020


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years (from the oldest test date)

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattooLAB.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED1 GTL
[IBAN] DE 87 47850065 000 4005345