

LiPigments Englewood, NJ 07631 USA

LiPigments.com

CTL [®] no	385661+391781
[Test date]	03.12.2018
[Service date]	09.03.2020
tattoolab.eu	

Certificate

[Article]	Permanent Make-up colour
[Brand]	The Ombre Blush Brow
[Colour/product code]	Cool Blonde Blush / DC-201-3
[Test]	PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

according to CoE R Detection limit: PAF	c Aromatic Hydrocarbons (PAH) and Benzo-a- esolution ResAP(2008)1 I: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb n as total; Benzo-a-pyrene: 5 ppb	Pyrene (BaP)	EPA, ZEK 2008-01
Amount		Amount	
(ppm)	Elements or compound	(ppm)	Elements or compound
	Naphthalene		Benz(a)anthracene
	Acenaphthylene		Chrysene
	Acenaphthene		Benzo(b)fluoranthene
	Fluorene		Benzo(k)fluoranthene
	Phenanthrene		Dibenzo(a,h)anthracene
	Anthracene	(Indo (1,2,3-cd)pyrene
	Fluoranthene		Benzo(g,h,i)perylene
	Pyrene	-	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 09. MARCH 2020

Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties. The validity of the certificate is 2 years (from the oldest test date)

[Adress] [Managing director] [Registered office in]

Krackser Straße 12 33659 Bielefeld, Germany Kerry-Luise Prior Bielefeld [Register of companies] AG Bielefeld, HRB 35-412 [Phone] [Email] [Homepage]

+49 521 400 82 89 0 sekretariat@ctl-mails.de ctl-bielefeld.de tattoolab.eu

[Bank]

[SWIFT/BIC] [IBAN]



LiPigments Englewood, NJ 07631 USA

LiPigments.com

CTL [®] no	385661+391781
[Test date]	03.12.2018
[Service date]	09.03.2020
tattoolab.eu	

Certificate

[Article]	Permanent Make-up colour
[Brand]	The Ombre Blush Brow
[Colour/product code]	Cool Blonde Bold / DC-201-4
[Test]	PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

according to CoE F	c Aromatic Hydrocarbons (PAH) and Benzo-a- Resolution ResAP(2008)1 H: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb n as total; Benzo-a-pyrene: 5 ppb	Pyrene (BaP)	EPA, ZEK 2008-01
Amount		Amount	
(ppm)	Elements or compound	(ppm)	Elements or compound
	Naphthalene		Benz(a)anthracene
	Acenaphthylene		Chrysene
	Acenaphthene		Benzo(b)fluoranthene
	Fluorene		Benzo(k)fluoranthene
	Phenanthrene		Dibenzo(a,h)anthracene
	Anthracene		Indo (1,2,3-cd)pyrene
	Fluoranthene		Benzo(g,h,i)perylene
	Pyrene	-	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 09. MARCH 2020

Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties. The validity of the certificate is 2 years (from the oldest test date)

[Adress]	
[Managing directo	r]
[Registered office	in]

Krackser Straße 12 33659 Bielefeld, Germany Kerry-Luise Prior Bielefeld [Register of companies] AG Bielefeld, HRB 35-412 [Phone] [Email] [Homepage] +49 521 400 82 89 0 sekretariat@ctl-mails.de ctl-bielefeld.de tattoolab.eu

[Bank]

[SWIFT/BIC] [IBAN]



LiPigments Englewood, NJ 07631 USA

LiPigments.com

CTL [®] no	385661+391781
[Test date]	03.12.2018
[Service date]	09.03.2020
tattoolab.eu	

Certificate

[Article]	Permanent Make-up colour
[Brand]	The Ombre Blush Brow
[Colour/product code]	Warm Blonde Blush / DC-201-5
[Test]	PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

according to CoE R Detection limit: PAH	c Aromatic Hydrocarbons (PAH) and Benzo-a- esolution ResAP(2008)1 : 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb as total; Benzo-a-pyrene: 5 ppb	Pyrene (BaP)	EPA, ZEK 2008-01
Amount		Amount	
(ppm)	Elements or compound	(ppm)	Elements or compound
	Naphthalene		Benz(a)anthracene
	Acenaphthylene		Chrysene
	Acenaphthene		Benzo(b)fluoranthene
	Fluorene		Benzo(k)fluoranthene
	Phenanthrene		Dibenzo(a,h)anthracene
	Anthracene		Indo (1,2,3-cd)pyrene
	Fluoranthene		Benzo(g,h,i)perylene
	Pyrene	-	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 09. MARCH 2020

Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties. The validity of the certificate is 2 years (from the oldest test date)

[Adress] [Managing director] [Registered office in]

Krackser Straße 12 33659 Bielefeld, Germany Kerry-Luise Prior Bielefeld [Register of companies] AG Bielefeld, HRB 35-412 [Phone] [Email] [Homepage]

+49 521 400 82 89 0 sekretariat@ctl-mails.de ctl-bielefeld.de tattoolab.eu

[Bank]

[SWIFT/BIC] [IBAN]



LiPigments Englewood, NJ 07631 USA

LiPigments.com

CTL [®] no	385661+391781
[Test date]	03.12.2018
[Service date]	09.03.2020
tattoolab.eu	

Certificate

[Article]	Permanent Make-up colour
[Brand]	The Ombre Blush Brow
[Colour/product code]	Warm Blonde Bold / DC-201-6
[Test]	PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

according to CoE R Detection limit: PAH	c Aromatic Hydrocarbons (PAH) and Benzo-a- esolution ResAP(2008)1 I: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb as total; Benzo-a-pyrene: 5 ppb	Pyrene (BaP)	EPA, ZEK 2008-01
Amount		Amount	
(ppm)	Elements or compound	(ppm)	Elements or compound
	Naphthalene		Benz(a)anthracene
	Acenaphthylene		Chrysene
	Acenaphthene		Benzo(b)fluoranthene
	Fluorene		Benzo(k)fluoranthene
	Phenanthrene		Dibenzo(a,h)anthracene
	Anthracene	(Indo (1,2,3-cd)pyrene
	Fluoranthene		Benzo(g,h,i)perylene
	Pyrene		Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 09. MARCH 2020

Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties. The validity of the certificate is 2 years (from the oldest test date)

[Adress] [Managing director] [Registered office in]

Krackser Straße 12 33659 Bielefeld, Germany Kerry-Luise Prior Bielefeld [Register of companies] AG Bielefeld, HRB 35-412 [Phone] [Email] [Homepage]

+49 521 400 82 89 0 sekretariat@ctl-mails.de ctl-bielefeld.de tattoolab.eu

[Bank]

[SWIFT/BIC] [IBAN]



Englewood, NJ 07631 USA

LiPigments.com

CTL [®] no	385661+391781	
[Test date]	03.12.2018	
[Service date]	09.03.2020	
tattoolab.eu		

Certificate

[Article]	Permanent Make-up colour
[Brand]	The Ombre Blush Brow
[Colour/product code]	Neutral Mid Brown Blush / DC-201-7
[Test]	PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

according to CoE R Detection limit: PAH	c Aromatic Hydrocarbons (PAH) and Benzo-a- esolution ResAP(2008)1 I: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb a as total; Benzo-a-pyrene: 5 ppb	Pyrene (BaP)	EPA, ZEK 2008-01
Amount		Amount	
(ppm)	Elements or compound	(ppm)	Elements or compound
	Naphthalene		Benz(a)anthracene
	Acenaphthylene		Chrysene
	Acenaphthene		Benzo(b)fluoranthene
	Fluorene		Benzo(k)fluoranthene
	Phenanthrene		Dibenzo(a,h)anthracene
	Anthracene		Indo (1,2,3-cd)pyrene
	Fluoranthene		Benzo(g,h,i)perylene
	Pyrene		Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 09. MARCH 2020

Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties. The validity of the certificate is 2 years (from the oldest test date)

[Adress] [Managing director] [Registered office in]

Krackser Straße 12 33659 Bielefeld, Germany Kerry-Luise Prior Bielefeld [Register of companies] AG Bielefeld, HRB 35-412 [Phone] [Email] [Homepage]

+49 521 400 82 89 0 sekretariat@ctl-mails.de ctl-bielefeld.de tattoolab.eu

[Bank]

[SWIFT/BIC] [IBAN]



CTL® GmbH | Chemical-Technological Laboratory Krackser Straße 12 | 33659 Bielefeld | Germany LiPigments Englewood, NJ 07631 USA

CTL [®] no	385661+391781
[Test date]	03.12.2018
[Service date]	09.03.2020
tattoolab.eu	

LiPigments.com

Certificate

[Article]	Permanent Make-up colour
[Brand]	The Ombre Blush Brow
[Colour/product code]	Neutral Mid Brown Bold / DC-201-8
[Test]	PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

according to CoE R Detection limit: PAH	c Aromatic Hydrocarbons (PAH) and Benzo-a- esolution ResAP(2008)1 I: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb n as total; Benzo-a-pyrene: 5 ppb	Pyrene (BaP)	EPA, ZEK 2008-01
Amount		Amount	
(ppm)	Elements or compound	(ppm)	Elements or compound
	Naphthalene		Benz(a)anthracene
	Acenaphthylene		Chrysene
	Acenaphthene		Benzo(b)fluoranthene
	Fluorene		Benzo(k)fluoranthene
	Phenanthrene		Dibenzo(a,h)anthracene
	Anthracene	(Indo (1,2,3-cd)pyrene
	Fluoranthene		Benzo(g,h,i)perylene
	Pyrene		Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 09. MARCH 2020

Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties. The validity of the certificate is 2 years (from the oldest test date)

[Adress] [Managing director] [Registered office in]

Krackser Straße 12 33659 Bielefeld, Germany Kerry-Luise Prior Bielefeld [Register of companies] AG Bielefeld, HRB 35-412 [Phone] [Email] [Homepage]

+49 521 400 82 89 0 sekretariat@ctl-mails.de ctl-bielefeld.de tattoolab.eu

[Bank]

[SWIFT/BIC] [IBAN]



CTL® GmbH | Chemical-Technological Laboratory Krackser Straße 12 | 33659 Bielefeld | Germany LiPigments Englewood, NJ 07631 ttoolab.eu LiPigments.com

USA

CTL [®] no	385661+391781	
[Test date]	03.12.2018	
[Service date]	09.03.2020	
tattoolab.eu		

Certificate

[Article]	Permanent Make-up colour
[Brand]	The Ombre Blush Brow
[Colour/product code]	Warm Mid Brown Blush / DC-201-9
[Test]	PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

according to CoE R Detection limit: PA	c Aromatic Hydrocarbons (PAH) and Benzo-a- Resolution ResAP(2008)1 H: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb n as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01
Amount		Amount	
(ppm)	Elements or compound	(ppm)	Elements or compound
	Naphthalene		Benz(a)anthracene
	Acenaphthylene		Chrysene
	Acenaphthene		Benzo(b)fluoranthene
	Fluorene		Benzo(k)fluoranthene
	Phenanthrene		Dibenzo(a,h)anthracene
	Anthracene	(Indo (1,2,3-cd)pyrene
	Fluoranthene		Benzo(g,h,i)perylene
	Pyrene	-	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 09. MARCH 2020

Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties. The validity of the certificate is 2 years (from the oldest test date)

[Adress] [Managing director] [Registered office in]

Krackser Straße 12 33659 Bielefeld, Germany Kerry-Luise Prior Bielefeld [Register of companies] AG Bielefeld, HRB 35-412 [Phone] [Email] [Homepage]

+49 521 400 82 89 0 sekretariat@ctl-mails.de ctl-bielefeld.de tattoolab.eu

[Bank]



LiPigments Englewood, NJ 07631 USA

LiPigments.com

CTL [®] no	385661+391781
[Test date]	03.12.2018
[Service date]	09.03.2020
tattoolab.eu	

Certificate

[Article]	Permanent Make-up colour
[Brand]	The Ombre Blush Brow
[Colour/product code]	Warm Mid Brown Bold / DC-201-10
[Test]	PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4EPA, ZEK 2008-01Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1EPA, ZEK 2008-01Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppbEPA, ZEK 2008-01				
Amount		Amount		
(ppm)	Elements or compound	(ppm)	Elements or compound	
	Naphthalene		Benz(a)anthracene	
	Acenaphthylene		Chrysene	
	Acenaphthene		Benzo(b)fluoranthene	
	Fluorene		Benzo(k)fluoranthene	
	Phenanthrene		Dibenzo(a,h)anthracene	
	Anthracene		Indo (1,2,3-cd)pyrene	
	Fluoranthene		Benzo(g,h,i)perylene	
	Pyrene		Benzo-a-pyrene (BaP)	

Result as total: all below detection limit

BIELEFELD, 09. MARCH 2020

Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties. The validity of the certificate is 2 years (from the oldest test date)

[Adress] [Managing director] [Registered office in]

Krackser Straße 12 33659 Bielefeld, Germany Kerry-Luise Prior Bielefeld [Register of companies] AG Bielefeld, HRB 35-412 [Phone] [Email] [Homepage]

+49 521 400 82 89 0 sekretariat@ctl-mails.de ctl-bielefeld.de tattoolab.eu

[Bank]

[SWIFT/BIC] [IBAN]



LiPigments Englewood, NJ 07631 USA

LiPigments.com

CTL [®] no	385661+391781
[Test date]	03.12.2018
[Service date]	09.03.2020
tattoolab.eu	

Certificate

[Article]	Permanent Make-up colour
[Brand]	The Ombre Blush Brow
[Colour/product code]	Mid Dark Brown Blush / DC-201-11
[Test]	PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4EPA, ZEK 2008-01Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1EPA, ZEK 2008-01Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppbEPA, ZEK 2008-01			
Amount		Amount	
(ppm)	Elements or compound	(ppm)	Elements or compound
	Naphthalene		Benz(a)anthracene
	Acenaphthylene		Chrysene
	Acenaphthene		Benzo(b)fluoranthene
	Fluorene		Benzo(k)fluoranthene
	Phenanthrene		Dibenzo(a,h)anthracene
	Anthracene		Indo (1,2,3-cd)pyrene
	Fluoranthene		Benzo(g,h,i)perylene
	Pyrene		Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 09. MARCH 2020

Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties. The validity of the certificate is 2 years (from the oldest test date)

[Adress] [Managing director] [Registered office in]

Krackser Straße 12 33659 Bielefeld, Germany Kerry-Luise Prior Bielefeld [Register of companies] AG Bielefeld, HRB 35-412 [Phone] [Email] [Homepage]

+49 521 400 82 89 0 sekretariat@ctl-mails.de ctl-bielefeld.de tattoolab.eu

[Bank]

[SWIFT/BIC] [IBAN]



LiPigments Englewood, NJ 07631 USA

LiPigments.com

CTL [®] no	385661+391781
[Test date]	03.12.2018
[Service date]	09.03.2020
tattoolab.eu	

Certificate

[Article]	Permanent Make-up colour
[Brand]	The Ombre Blush Brow
[Colour/product code]	Mid Dark Brown Bold / DC-201-12
[Test]	PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

according to CoE R Detection limit: PAH	c Aromatic Hydrocarbons (PAH) and Benzo-a- Resolution ResAP(2008)1 H: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb n as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01
Amount		Amount	
(ppm)	Elements or compound	(ppm)	Elements or compound
	Naphthalene		Benz(a)anthracene
	Acenaphthylene		Chrysene
	Acenaphthene		Benzo(b)fluoranthene
	Fluorene		Benzo(k)fluoranthene
	Phenanthrene		Dibenzo(a,h)anthracene
	Anthracene		Indo (1,2,3-cd)pyrene
	Fluoranthene		Benzo(g,h,i)perylene
	Pyrene	-	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 09. MARCH 2020

Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties. The validity of the certificate is 2 years (from the oldest test date)

[Adress] [Managing director] [Registered office in]

Krackser Straße 12 33659 Bielefeld, Germany Kerry-Luise Prior Bielefeld [Register of companies] AG Bielefeld, HRB 35-412 [Phone] [Email] [Homepage]

+49 521 400 82 89 0 sekretariat@ctl-mails.de ctl-bielefeld.de tattoolab.eu

[Bank]

[SWIFT/BIC] [IBAN]



Englewood, NJ 07631 USA

LiPigments.com

CTL [®] no	385661+391781	
[Test date]	03.12.2018	
[Service date]	09.03.2020	
tattoolab.eu		

Certificate

[Article]	Permanent Make-up colour
[Brand]	The Ombre Blush Brow
[Colour/product code]	Darkest Brown Blush / DC-201-13
[Test]	PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 EPA, ZEK 2008-01 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb			
Amount		Amount	
(ppm)	Elements or compound	(ppm)	Elements or compound
	Naphthalene		Benz(a)anthracene
	Acenaphthylene		Chrysene
	Acenaphthene		Benzo(b)fluoranthene
	Fluorene		Benzo(k)fluoranthene
	Phenanthrene		Dibenzo(a,h)anthracene
	Anthracene		Indo (1,2,3-cd)pyrene
	Fluoranthene		Benzo(g,h,i)perylene
	Pyrene		Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 09. MARCH 2020

Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties. The validity of the certificate is 2 years (from the oldest test date)

[Adress]
[Managing director]
[Registered office in]

Krackser Straße 12 33659 Bielefeld, Germany Kerry-Luise Prior Bielefeld [Register of companies] AG Bielefeld, HRB 35-412 [Phone] [Email] [Homepage]

+49 521 400 82 89 0 sekretariat@ctl-mails.de ctl-bielefeld.de tattoolab.eu

[Bank]

[SWIFT/BIC] [IBAN]



LiPigments Englewood, NJ 07631 USA

LiPigments.com

CTL [®] no	385661+391781
[Test date]	03.12.2018
[Service date]	09.03.2020
tattoolab.eu	

Certificate

[Article]	Permanent Make-up colour
[Brand]	The Ombre Blush Brow
[Colour/product code]	Darlest Brown Bold / DC-201-14
[Test]	PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppbEPA, ZEK 2008-01				
Amount		Amount		
(ppm)	Elements or compound	(ppm)	Elements or compound	
	Naphthalene		Benz(a)anthracene	
	Acenaphthylene		Chrysene	
	Acenaphthene		Benzo(b)fluoranthene	
	Fluorene		Benzo(k)fluoranthene	
	Phenanthrene		Dibenzo(a,h)anthracene	
	Anthracene	(Indo (1,2,3-cd)pyrene	
	Fluoranthene		Benzo(g,h,i)perylene	
	Pyrene	-	Benzo-a-pyrene (BaP)	

Result as total: all below detection limit

BIELEFELD, 09. MARCH 2020

Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties. The validity of the certificate is 2 years (from the oldest test date)

[Adress] [Managing director] [Registered office in]

Krackser Straße 12 33659 Bielefeld, Germany Kerry-Luise Prior Bielefeld [Register of companies] AG Bielefeld, HRB 35-412 [Phone] [Email] [Homepage]

+49 521 400 82 89 0 sekretariat@ctl-mails.de ctl-bielefeld.de tattoolab.eu

[Bank]

[SWIFT/BIC] [IBAN]